

Fabric

Designer:Teruhiro Yanagihara Studio
Product Number: FBR



(Top Left) FBR-001 / 200×100 (Top Right) FBR-010 / 200×100
(Bottom Left) FBR-003 / 200×100 (Bottom Right) FBR-029 / 200×100

Fabric


Designer:Teruhiro Yanagihara Studio
Product Number: FBR

Specification

Product name Product code: Fabric FBR	Installation method
Category: Standard	Bonding method: Adhesive bonding
	Adhesive: *DQZ
Material: B I / Porcelain / Unglazed	Adhesive application method:
Surface colour: Single colour	Without grouting: Flatten 5mm notched
Surface profile: 3D	Standard joint width: 3mm
Connection method: Single piece	Grouting method: No grout
Place of manufacture: Awaji island	*DQZ : Modified silicone one-component reaction-curing elastic adhesive
Backside: Adhesive bonding only	
	Installation area
	Interior wall ◎ Interior floor × Bathroom wall ×
	Bathroom floor × Exterior wall ◎ Exterior floor ×
	Frost resistance ◎

Format

Dimensions	Actual dimensions	Thickness	Quantity/sqm	Pieces/box	sqm/box	Weight (kg)/box
200×100	197×97	9～12	50.0	36	0,72	17.0



197 × 97

Fabric


Designer:Teruhiro Yanagihara Studio
Product Number: FBR

仕様

製品名 製品記号：Fabric FBR	施工方法
生産区分：標準品	張付け方法：接着剤張り
	接着剤：DQZ
材質：B I / 磁器質 / 無ゆう	接着剤塗布方法：目地詰めなし：5mm くし目平押さえ
表面色調：単色	標準目地幅：3mm
表面面状：3D 凹凸	目地施工：空目地
タイル連結方法：単品	
生産地：淡路島工場	使用部位区分
裏足：接着剤張り専用	屋内壁 ◎ 屋内床 × 浴室壁 ×
	浴室床 × 屋外壁 ◎ 屋外床 × 耐凍害 ◎

規格

形状記号	形状名	実寸法(mm)	厚さ(mm)	m ² 必要枚数(枚)	入数/ケース(枚)	m ² 数/ケース	重量(kg)/ケース
200×100	200×100平	197×97	9～12	50.0	36	0,72	17.0



197 × 97

Fabric

Designer:Teruhiro Yanagihara Studio
Product Number: FBR

Colours



FBR-001



FBR-003



FBR-010




FBR-017



FBR-029

Contact Info

DANTO TILE CO., LTD.
Ama factory: 1290 Igano Kita Ama Minami Awaji Hyogo
Fukura factory: 86 Fukura-Hei Minami Awaji Hyogo
www.aa-danto.com



FBR-001 / 200×100



FBR-010 / 200×100